

Colorado

Composition 100% Wool

Nm. 1/40

キャラクター

未防縮のメリノウールを使用した天然繊維100%のスラブヤーン。細番の単糸にスラブ形状が入った非常に繊細なつくりの為、カジュアルな雰囲気になりがちなスラブヤーンでも上品な表情が楽しめる。多本取りや他素材との組み合わせにすることで編地のバリエーションも多彩なほか、未防縮のため縮絨でも多様な表現が可能な素材。

特記事項

非常に繊細な作りの単糸である為、1本取りでテンションの掛かる編み方では糸切れが発生し易くなります。複数本取りでの使用、または他素材との組み合わせ等を推奨します。単糸である為に斜行します。その特性を活かした編み方をお勧めします。

ご使用時の注意点

- 品質の保持には十分努力しておりますが、生産ロット間の差異にはご注意をお願い致します。
- 編み組織や本数取り、色でも縮率は異なりますので、必ずテストをしてからのご使用をお願い致します。
- 当素材は染色工程上3%前後の目減りが発生することがあります。販売時には実質数量ではなく投入数量でのご請求となります。

ストックサービス

一部ストックあり

ブックカラーミニマム

営業担当者にお問い合わせください。

別注色

○

別注色ミニマム

営業担当者にお問い合わせください。

適正ゲージ (参考)

14GG 1ply, 12GG 2ply

洗濯絵表示例



※洗濯表示につきましては、編み組織、デザイン、付属等を含めてご検討下さい。

Characteristics

Fine slub yarn made from untreated wool, which enables a unique uneven texture in 100% natural fiber. This simple yarn can be transformed into various textures by washing and felting, as well as by knitting multiple ends or with other yarns.

Special Instructions

As this is a fine single yarn, it tends to cut easily when knitted in 1 end with too much tension. We recommend knitting multiple ends or together with other yarn(s) to avoid this problem. Please note that the knitting panel torques in certain stitches as this is a single yarn.

Notes

- Please note that the small differences of colour/texture/shrinkage between the production lots are inevitable.
- Please conduct enough trials in advance, as the final result depends greatly on the condition of knitting and washing.
- Due to the dyeing method, the net weight of each cone may turn out lighter by about 3% after dyeing.

Stock Service

Some colors are available in stock.

Minimum Order Quantity

6 kg per colour

Your Own Colour

Yes

MOQ for your own colour

6 kg per colour

Dyeing Bath Lot

Top Dye (Melange)

Min: N/A

Yarn Dye (Solid)

Min: 6 kg

Max: N/A

Max: 100 kg (1 Lot)

Finishing

This is the instruction for finishing the product. For the care instructions, please refer to the labeling below.

- Washing at low-temperature water is recommended. Please steam press to set the shape before washing. After washing, please dry at low temperature.
- When ironing, please put a piece of cloth on the knitted panel. The temperature must be below 110°C.

Colour Fastness

Water at 37°C

Grade 4

Light fastness

Grade 4

Dry rubbing

Grade 4

Wet rubbing

Grade 4

Pilling Test

Grade 4

Suitable Gauge

14GG 1ply, 12GG 2ply

Labeling



手作業で仕上げたこの見本帳は限りある資源を用いたものです。廃棄をされる前に、再利用が可能な状態であれば弊社までご返却下さいませ。
This color card was made by hand using limited natural resources. Please treat with care!